



# Video Surveillance Systems



## Product Line Catalogue



# Infinique's products are designed for reliability, performance and easy deployment

IP Video Surveillance Solution includes

## Cameras

- High Definition IP Cameras from 1MP to 6MP resolution
- Superior Image Sensors, DSP and 140dB WDR for sharp video
- Video Analytics and storage on the edge
- Camera housings with IP65, IP66, IP67, IK09 and IK10 ratings
- ONVIF Compliant

## Recording Solutions

- FortesVMS, an open architecture enterprise class video management system which is ONVIF Compliant
- FortesServer designed with Industrial Grade Enterprise Hardware with dual processors, dual LAN and redundant dual power. Comes preloaded with FortesVMS and Linux OS on SSD. Centralized SAN Storage through iSCSI or Fiber Channel
- Fortes NVR designed with server class hardware comes preloaded with Linux OS and FortesVMS with internal storage up to 192TB
- 100 Channels simultaneous playback
- Zero downtime through failover server option
- Open architecture, supports all ONVIF Compliant Cameras

## Monitoring and Integration

- FortesMonitor, centralized management software to monitor multiple FortesServers and FortesNVRs through a single client software
- Auto camera discovery to detect and add new cameras to the system and bulk camera configuration
- FortesMonitor offers enterprise-class reliability as it offers single point access that can connect up to 4000+ cameras
- BACnet gateway for BMS integration
- SDK support for access control integration

From solutions for a small business to a large enterprise, Infinique offers an end-to-end product line that meets the security needs.



Commercial and Residential



Banking



Education



Hospitality



Retail



Health

For over a decade, Infinique has strived to support its customers with a spirit of innovation and excellence bundled with a very high quality service. These core qualities form the basis for everything we do at Infinique empowering us to provide a quality line of products which are future proof. Our catalogue represents our expertise, detailing the latest innovations and key products in each of the professional video surveillance solutions we provide at Infinique.

# FortesVMS

An Integrated Video Management System

## TOP REASONS TO CHOOSE

### Multi-Server Multi-Site

FortesVMS offers multi-server and multi-site solution for expansion of an installation by automatic bridging of multiple FortesServers and FortesNVRs.

### Stable and Reliable VMS preloaded on SSD

FortesVMS high reliability is achieved by both the VMS and Linux® OS hosted on a Solid State Disk (SSD), which provides high read-write speeds and has no moving parts. This also increases system response time, compared to systems which have the OS installed on conventional hard disk drives.

### Open Architecture ONVIF Compliant

Through ONVIF compliance FortesVMS ensures support for a large number of IP cameras and encoders. Compatibility with video streams such as MJPEG, MPEG4, H.264 and H.265 combined with a comprehensive SDK support for third party system integration such as access control and building management systems, makes it a true open architecture surveillance system.

### Centralized Storage Meets your future needs

Centralized storage architecture through iSCSI or Fiber Channel SAN interface makes it efficient with increased performance, minimized downtime and can be expanded easily. SAN storage is ideal for surveillance applications, which involves moving of massive video data streams, as it uses block level system which reduces latency and optimises throughput. Efficient RAID implementation and storage scalability are remarkable advantages of SAN storage, which make installations future proof.

### Continuous Operation Dual Ethernet, Dual Power

Continuous operation and stability are prerequisites to video surveillance applications, to guarantee this, FortesVMS has been designed with support for dual NICs and dual redundant hot swappable power supply.

### Zero Downtime Failover

Failover support for FortesServers and FortesNVRs to ensure continuous operation and maximum system uptime. Servers can be configured for failover as one-to-one, one-to-many or many-to-many option. If one of the server goes offline, the failover server will immediately takeover and manage all of its cameras, users, and security permissions to provide continued recording and access to devices.

### Interactive Monitoring Maps Interface

FortesMonitor client software allows users to use imported interactive maps to visualize the physical location of FortesServers, FortesNVRs, Cameras and Alarms for easy identification and navigation of large surveillance systems. This enables operators to gain situational awareness and quickly respond to incidents.

### User Flexibility Empowers Operators


FortesVMS empowers operators to control remotely multiple Servers, NVRs and Cameras through FortesMonitor client software. Users can remotely change the camera properties, operate the PTZ camera, have two-way voice communication, promptly search for incidents using timeline and map monitor, scrutinize audit log, export video and pictures, archive video and much more.

# Conceptual Overview

## An Integrated Ready to Deploy Video Management Solution

Video Surveillance Solution offered by Infinique is of open architecture where a surveillance system can be created to suit a company's current and future requirements. The recording solutions range from an embedded plug-n-play recorder to large enterprise wide scalable solutions with auto bridging using our FortesVMS. The FortesVMS bundled with FortesServer is an optimized integrated solution with pre-installed licenses providing peace of mind and removing the compatibility risks and unavailability of prompt support associated with solutions where VMS software and the hardware are sourced from different vendors.

Along with recording solution, Infinique provides a wide and diverse range of cameras with resolution from 1.4 to 6MP with features such as edge based video analytics, secure transmission using HTTPS, SRTP and protection from unwarranted users with IP Filtering. Together with the cameras and video management system our solutions offer unlimited scalability and are designed to meet the stringent demands of today's security requirement, while keeping it simple, easy to use and maintain.



**NOTE:** The above network configuration is a conceptual overview only and is not intended to show a detailed network topology. The actual network requirements for your installation will differ based on the configuration, requiring changes or perhaps additional network equipment. Please contact Infinique representative to discuss your specific requirements.

# Open Architecture with Centralized Integration

NClient, powerful and easy to use middleware

Infinique introduces the first of its kind NClient Middleware Application, which offers centralized and simple integration of its Video Surveillance Solutions with BMS, Access Control and ANPR under one client.



## IR DOME CAMERAS

### INV703F-RMS

Infinique Integrator Series Indoor/Outdoor Dome IP Camera, 1/2.8" Sony Progressive Scan Exmor CMOS Sensor, 2.1 MP, 30fps @ 1920X1080, 0 Lux, 3.6mm, IR Array LED, 25m IR Range, H.264, MJPEG, Dual Stream, D-WDR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Micro SD Slot, PoE, IP66 Vandal Proof



### INV703F-RTS

Infinique Premium Series Indoor Outdoor IR Dome Camera, 1/3 CMOS Sensor, 2MP, 3.6mm Fixed Lens, IR Array LED, 30m IR Range, H.265, H.264, MJPEG, Three Video Streams, D-WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66



### INV803F-RTS

Infinique Premium Series Indoor Outdoor IR Dome Camera, 1/3 CMOS Sensor, 3MP, 3.6mm Fixed Lens, IR Array LED, 30m IR Range, H.265, H.264, , Three Video Streams, D-WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66



### INV711Z-RTS

Infinique Premium Series Indoor Outdoor IR Dome Camera, 1/3 Progressive Scan CMOS Sensor, 2MP, 2.8-8mm Motorized Zoom Lens, IR Array LED, 30m IR Range, H.265, H.264, MJPEG, Three Video Streams, D-WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66



### INV713Z-RTS

Infinique Premium Series Vandal IR Dome Camera, 1/3 CMOS Sensor, 2MP, 30fps @ 1920X1080, 0 Lux, 2.8-12mm Motorized Zoom Lens, IR LED, 40m IR Range, H.265, H.264, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP66



### INV811Z-RTS1

Infinique Premium Series Indoor Outdoor IR Dome Camera, 1/3 CMOS Sensor, 3MP, 2.8-8mm Motorized Zoom Lens, IR Array LED, 40m IR Range, H.265, H.264, D-WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66, IK10



### INV813Z-RTS

Infinique Premium Series Vandal IR Dome Camera, 1/3 CMOS Sensor, 3MP, 30fps @ 2048X1536, 0 Lux, 2.8-12mm Motorized Zoom Lens, IR LED, 40m IR Range, H.265, H.264, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP66



### INV713Z-RATS1

Infinique Integrator Series Outdoor Dome IP Camera, 1/2.8" Sony Progressive Scan Exmor CMOS Sensor, 2.1 MP, 30fps @ 1920X1080, 2.8~12mm Motorized Lens, IR Array LED, 30m IR Range, H.264, MJPEG, Dual Stream, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Micro SD Slot, PoE, IP66, IK10 Vandal Proof



## WDR DOME CAMERAS

### INV711Z-RWTS1

Infinique Premium Series Outdoor IR Bullet Camera, 1/2.8 Sensor, 2MP, 2.8-8mm Motorized Zoom Lens, IR LED, 30m IR Range, H.265, H.264, MJPEG, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP66, IK10



### INV713Z-RWTS

Infinique Premium Series Vandal IR Dome Camera, 1/3 CMOS Sensor, 2MP, 30fps @ 1920X1080, 0 Lux, 2.8-12mm Motorized Zoom Lens, IR LED, 40m IR Range, H.265, H.264, MJPEG, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66



### INV811Z-RWTS

Infinique Premium Series Indoor Outdoor IR Dome Camera, 1/3 CMOS Sensor, 3MP, 2.8-8mm Motorized Zoom Lens, IR Array LED, 40m IR Range, H.265, H.264, 120dB True WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66, IK10



### INV813Z-RWTS

Infinique Premium Series Vandal IR WDR Dome Camera, 1/3 CMOS Sensor, 3MP, 30fps @ 2048X1536, 0 Lux, 2.8-12mm Motorized Zoom Lens, IR LED, 40m IR Range, H.265, H.264, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP66



### INV918Z-RAWTS

Infinique Integrator Series Indoor IP IR WDR Dome Camera, 1/1.8" CMOS Sensor, 6 MP, 30fps @ 2592(H)X1944 (V), 60fps @ 1920x1080, 0.01 Lux, 6~22mm Motorized Zoom Lens, True WDR 120dB, H.265, H.264, MJPEG, Dual Stream, TDN, Adjustable Bit Rate, ONVIF 2.2, Composite Video Out, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP65 Rated Housing



### INV413Z-RAWTS1

Infinique Integrator Series Outdoor Dome IP Camera, 1/3 CMOS Sensor, 4MP, 15fps @ 2592X1520, 30fps @ 2048x1536, 2.8-12mm Motor-ized Lens, IR Array LED, 30-40m IR Range, 0 Lux, H.265, H.264, 110dB WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, Built in Mic, SDHC Slot, PoE, IK10, IP66,Vandal Proof



### INV411Z-RAWTS

Infinique Integrator Series Indoor/Outdoor IP IR WDR Dome Camera, 1/3" CMOS Sensor, 4 MP, 15fps @ 2592X1520, 30fps @ 2048x1536, 0 Lux, 3~10.5mm Motorized Zoom Lens, H.265,H.264, MJPEG, Dual Stream, 110 dB True WDR, TDN, Adjustable Bit Rate, ONVIF 2.2, Composite Video Out, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP65 Rating Vandal Proof



# PRODUCT LINE UP - IP CCTV

## IR BULLET CAMERAS

### INB713Z-RTS1

Infinique Premium Series Outdoor IR Bullet Camera, 1/3 CMOS Sensor, 2MP, 2.8-12mm Motorized Zoom Lens, IR LED, 35m IR Range, H.265, H.264, MJPEG, Three Video Streams, D-WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP66



### INB713Z-RTS

Infinique Integrator Series Outdoor Bullet IP Camera, 1/2.8" Sony Progressive Scan Exmor CMOS Sensor, 2.1 MP, 30fps @ 1920X1080, 0 Lux, 2.8~12mm Motorized Zoom Lens, IR Array LED, 60m IR Range, H.264, MJPEG, Dual Stream, D-WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Micro SD Slot, PoE, IP66 Weather Proof



### INB716V-RATS

Infinique Integrator Series Outdoor Bullet IP Camera, 1/2.8" Sony Exmor Progressive Scan Image Sensor, 2.1MP, 30fps @ 1920X1080, 0 Lux, 5~50mm Varifocal Lens, IR Array LED, 100m IR Range, H.264, MJPEG, Dual Stream, D-WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Micro SD Slot, PoE, IP66 Weather Proof



### INB718Z-RATS

Infinique Integrator Series Outdoor Bullet IP Camera, 1/2.8" Sony Progressive Scan Exmor CMOS Sensor, 2.1 MP, 30fps @ 1920X1080, 0 Lux, 7~22mm Motorized Lens, IR Array LED, 100m IR Range, H.264, MJPEG, Dual Stream, D-WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Micro SD Slot, IP66 Weather Proof



### INB813Z-RTS

Infinique Premium Series Outdoor IR Bullet Camera, 1/3" Progressive Scan CMOS Sensor, 3MP, 0 Lux, 30fps @ 2048 x 1536, 2.8~12mm Motorized Zoom Lens, IR Array LED, 30m IR Range, H.265/H.264, MJPEG, Dual Stream, D-WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66 Vandal Proof



## WDR IR BULLET CAMERAS

### INB713Z-RAWTS

Infinique Integrator Series Outdoor Bullet IP Camera, 1/3" Sony Progressive Scan Exmor CMOS Sensor, 2.1 MP, 0 Lux, 30fps @ 1920X1080, 2.8~12mm Motorized Lens, IR Array LED, 60m IR Range, Ambarella H.264, MJPEG, Dual Stream, 140dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Micro SD Slot, PoE, IP66 Weather Proof



### INB718Z-RAWTS

Infinique Integrator Series Outdoor Bullet IP Camera, 1/3" Sony Progressive Scan Exmor CMOS Sensor, 2.1 MP, 30fps @ 1920X1080, 7~22mm Motorized Lens, IR Array LED, 100m IR Range, Ambarella H.264, MJPEG, Dual Stream, 140dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Micro SD Slot, PoE, IP66 Weather Proof



### INB713Z-RWTS1

Infinique Premium Series Outdoor IR Bullet Camera, 1/2.8 Sensor, 2MP, 2.8-12mm Motorized Zoom Lens, IR LED, 40m IR Range, H.265, H.264, MJPEG, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP66

### INB716Z-RWTS

Infinique Premium Series IR WDR Bullet Camera, 1/2.8 Sensor, 2MP, 5-50mm Motorized Zoom Lens, IR Array LED, 80m IR Range, H.265, H.264, MJPEG, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, PoE, IP66

### INB516Z-RWTS

Infinique Premium Series Indoor/Outdoor IP IR Bullet Camera, 1/2.8" Progressive Scan CMOS Sensor, 5 MP, 30fps @ 2592x1944, 0 Lux, 5~50mm Motorized Zoom Lens, IR Array LED, 80 IR Range, H.265, H.264, MJPEG, Three Stream, 120dB True WDR, TDN, Adjustable Bit Rate, ONVIF Compliant, Composite Video Out, SDHC Slot, PoE, IP66 Rating, Vandal Proof

### INB813Z-RWTS1

Infinique Premium Series Outdoor IR Bullet Camera, 1/3 CMOS Sensor, 3MP, 30fps @ 2048X1536, 2.8-12mm Motorized Zoom Lens, IR LED, 35m IR Range, H.265, H.264, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, ONVIF Compliant, Two Way Audio, Alarm I/O, SDHC Slot, PoE, IP66

### INB813Z-RWTS

Infinique Integrator Series Outdoor Bullet IP Camera, 1/3" Sony Progressive Scan CMOS Sensor, 4.0 MP, 30fps @ 2032x1920, 2.8~12mm Motorized Lens, IR Array LED, 60m IR Range, H.265, H.264, MJPEG, Dual Stream, 110dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Micro SD Slot, PoE, IP66 Weather Proof

### INB911Z-RAWTS

Infinique Integrator Series Outdoor Bullet IP Camera, 1/1.8" Sony Progressive Scan CMOS Sensor, 6.0 MP, 30fps @ 2592x1944, 3.6~10mm Motorized Lens, IR Array LED, 60m IR Range, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Micro SD Slot, PoE, IP66 Weather Proof



## WDR BOX CAMERAS

### INX800-AWTS

Infinique Premium Series WDR Box Camera, 3MP, 30fps @ 2048X1536, CS Mount, H.265, H.264, Three Video Streams, 120dB WDR, True Day and Night with ICR, Alarm I/O, POE, Lens not included



### INX900-AWTS

Infinique Integrator Series Box IP Camera, 1/1.8" Progressive Scan CMOS Sensor, 6 MP, 0.01 Lux, 30fps @ 2592x1944, CS Mount, H.265, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Micro SD Slot, PoE, Lens Not Included





## MINI PTZ CAMERAS

### INP112X-AWTM

Infinique Integrator Series Indoor Mini PTZ Speed Dome IP Camera, 1/4" Sony Exview HAD CCD Sensor, 560 TVL, 30fps @ 720x576, 0.004 Lux, 12X Optical Zoom, 12X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot



### INO112X-AWTM

Infinique Integrator Series Outdoor Mini PTZ Speed Dome IP Camera, 1/4" Sony Exview HAD CCD Sensor, 560 TVL, 30fps @ 720x576, 0.004 Lux, 12X Optical Zoom, 12X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot, IP67 Water Proof



### INP703X-AWTM

Infinique Integrator Series 3.27 MP Indoor Mini PTZ Speed Dome IP Camera, 1/2.8" Type Exmor CMOS Sensor, 30fps @ 2096x1561, 0.25 Lux, 3X Optical Zoom, 12X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot



### INO703X-AWTM

Infinique Integrator Series Outdoor 3.27 MP Mini PTZ Speed Dome IP Camera, 1/2.8" Type Exmor CMOS Sensor, 30fps @ 2096x1561, 0.25 Lux, 3X Optical Zoom, 12X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot, IP67 Weatherproof



### INP710X-AWTM

Infinique Integrator Series Indoor PTZ Mini Speed Dome IP Camera, 1/2.8" Type Exmor CMOS Sensor, 3.27 MP, 30fps @ 2096x1561, 0.25 Lux, 10X Optical Zoom, 32X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, TDN with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot



### INO710X-AWTM

Infinique Integrator Series Outdoor PTZ Mini Speed Dome IP Camera, 1/2.8" Type Exmor CMOS Sensor, 3.27 MP, 30fps @ 2096x1561, 0.25 Lux, 10X Optical Zoom, 32X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot, IP67 Weatherproof



### IFSD-SC3

Infinique System Controller for PTZ, USB, RS 485, RS 232 interface



### IFKB-RS232

Infinique RS-232 Keyboard Controller for PTZ Camera with RS-232 Gender Cable for PTZ Camera Control



## PTZ CAMERAS

### INO227X-AWT

Infinique Integrator Series Outdoor PTZ Speed Dome IP Camera, 1/2.8" Type Exmor CMOS Sensor, 600 TVL, 0.25 Lux, 27X Optical Zoom, 16X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot, IP67 Weatherproof



### INO237X-AWT

Infinique Integrator Series Outdoor PTZ Speed Dome IP Camera, 1/2.8" Type Exmor CMOS Sensor, 600 TVL, 0.25 Lux, 37X Optical Zoom, 16X Digital Zoom, H.264, MJPEG, Dual Stream, 120dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot, IP67 Weatherproof



### INO820X-AWT

Infinique Integrator Series Outdoor PTZ Speed Dome IP Camera, 1/2.8" Sony Progressive Scan Exmor CMOS Sensor, 3.27MP, 30fps @ 2096x1561, 20X Optical Zoom, 12X Digital Zoom, H.264, MJPEG, Dual Stream, 140dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Audio I/O, Micro SD Slot, IP67 Weather Proof



### INO830X-AWT

Infinique Integrator Series Outdoor PTZ Speed Dome IP Camera, 1/2.8" Sony Progressive Scan Exmor CMOS Sensor, 3.27MP, 30fps @ 2096x1561, 30X Optical Zoom, 12X Digital Zoom, H.264, MJPEG, Dual Stream, 140dB WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Composite Video Out, Two Way Audio, Alarm I/O, Audio I/O, Micro SD Slot, IP67 Weather Proof



## SPECIALITY CAMERAS

### INL716Z-RT

Infinique Integrator Series License Plate Recognition IP Camera, 1/2.8" Sony Exmor CMOS Sensor, 2.43 MP, 30fps @ 1920x1080p, 0 Lux, 6~50mm Autofocus Motorized Zoom Lens, 25M Recognition Distance, Maximum Speed 50KMH, H.264, MJPEG, Triple Stream, D-WDR, Adjustable Bit Rate, ONVIF 2.4, B/W for Day & Night, PoE, IP66 Rating



### INL716V-RTH

Infinique Integrator Series License Plate Recognition IP Camera, 1/2.8" Sony Exmor CMOS Sensor, 2.43 MP, 30fps @ 1920x1080p, 0 Lux, 6~50mm Autofocus Motorized Zoom Lens, 25M Recognition Distance, Maximum Speed 150KMH, H.264, MJPEG, Triple Stream, D-WDR, Adjustable Bit Rate, ONVIF 2.4, Color for Day, B&W for Night, PoE, IP66 Rating.



### INS703F-AMS

Infinique Integrator Series Indoor PTZ Speed Dome IP Camera, 1/3" Type Exmor CMOS Sensor, 600 TVL, 4.3mm, 0.05 Lux, 27X Optical Zoom, 16X Digital Zoom, H.264, MJPEG, Dual Stream, D-WDR, True Day & Night with ICR, Adjustable Bit Rate, ONVIF Compliance, Two Way Audio, Micro SD Slot



## NETWORK RECORDING SOLUTIONS

### FortesVMS

Infinique FortesVMS, Enterprise Class Video Management Software, Pre-installed on FortesServer and FortesNVR, Centralized SAN Storage Support Using iSCSI or Fiber Channel, Failover Mechanism, Scalable with Automatic Bridging of Multiple Servers, ONVIF Compliant



### INR100-300D-2

Infinique FortesVMS Server, 100 Channels IP Device Licenses, Intel® XEON™ Dual Processors, Dual RJ45 Gigabit Ethernet LAN Ports, Dual Power, iSCSI Interface to SAN Storage, 500 Mbps Network Bandwidth, 180 Mbps Record Bandwidth, DDR3 SDRAM 16GB



### INR64-300D-2

Infinique FortesVMS Server, 64 Channels IP Device Licenses, Intel® XEON™ Dual Processors, Dual RJ45 Gigabit Ethernet LAN Ports, Dual Power, iSCSI Interface to SAN Storage, 500 Mbps Network Bandwidth, 180 Mbps Record Bandwidth, DDR3 SDRAM 16GB



### INR36-108F16E-3

Infinique FortesNVR Enterprise Series, 36Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 180Mbps Record Bandwidth, Recording @1080fps in Full HD, HD, D1, H.264, 16 Hot Swappable HDD Slots, 128TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional Dual eSATA up to 8 HDDs 64TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 3U Rack Mountable, Hard Drive not included



### INR64-192H16E-3

Infinique FortesNVR Enterprise Series, 64Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 180Mbps Record Bandwidth, Recording @960fps in Full HD, @1920fps in HD, D1, H.264, 16 Hot Swappable HDD Slots, 128TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional Dual eSATA up to 8 HDDs 64TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 3U Rack Mountable, Hard Drive not included



### INR100-300D16E-3

Infinique FortesNVR Enterprise Series, 100Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 180Mbps Record Bandwidth, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, 16 Hot Swappable HDD Slots, 128TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional Dual eSATA up to 8 HDDs 64TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 3U Rack Mountable, Hard Drive not included



### INR100-300D24E-4

Infinique FortesNVR Enterprise Series NVR, 100Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 144Mbps Record Bandwidth, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, 24 Hot Swappable HDD Slots, 192TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional Dual eSATA up to 8 HDDs 64TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 4U Rack Mountable, Hard Drive not included



### INR16-48F8E-2

Infinique FortesNVR Professional Series, 16Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 80Mbps Record Bandwidth, Recording @480fps in Full HD, HD, D1, H.264, 8 Hot Swappable HDD Slots, 64TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 2U Rack Mountable, Hard Drive not included



### INR25-75F8E-2

Infinique FortesNVR Professional Series, 25Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 125Mbps Record Bandwidth, Recording @750fps in Full HD, HD, D1, H.264, 8 Hot Swappable HDD Slots, 64TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 2U Rack Mountable, Hard Drive not included



### INR36-108F8E-2

Infinique FortesNVR Professional Series, 36Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 180Mbps Record Bandwidth, Recording @1080fps in Full HD, HD, D1, H.264, 8 Hot Swappable HDD Slots, 64TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 2U Rack Mountable, Hard Drive not included



### INR64-192H8E-2

Infinique FortesNVR Professional Series, 64Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 160Mbps Record Bandwidth, Recording @960fps in Full HD, @1920fps in HD, D1, H.264, 8 Hot Swappable HDD Slots, 64TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 2U Rack Mountable, Hard Drive not included



### INR64-192H8E-2P

Infinique FortesNVR Professional Series, 64Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 160Mbps Record Bandwidth, Recording @960fps in Full HD, @1920fps in HD, D1, H.264, 8 Hot Swappable HDD Slots, 64TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional RAID6, Optional Dual LAN, Dual Power, Optional SAN Support, 2U Rack Mountable, Hard Drive not included



### INR100-300D8E-2

Infinique FortesNVR Professional Series, 100Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 160Mbps Record Bandwidth, Recording @960fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, 8 Hot Swappable HDD Slots, 64TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional RAID6, Optional Dual LAN, Optional Dual Power, Optional SAN Support, 2U Rack Mountable, Hard Drive not included



### INR100-300D8E-2P

Infinique FortesNVR Professional Series, 100Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 160Mbps Record Bandwidth, Recording @960fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, 8 Hot Swappable HDD Slots, 64TB, Built-in RAID5, Optional eSATA up to 4 HDDs 32TB, Optional RAID6, Optional Dual LAN, Dual Power, Optional SAN Support, 2U Rack Mountable, Hard Drive not included



# PRODUCT LINE UP - IP CCTV

## NETWORK RECORDING SOLUTIONS

### INR9-27F4E-1

Infinique FortesNVR System Series, 9Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 45Mbps Record Bandwidth, Recording @270fps in Full HD, HD, D1, H.264, 4 Hot Swappable HDD Slots, 32TB, Optional eSATA up to 4 HDDs 32TB, 1U Rack Mountable, Hard Drive not included



### INR16-48F4E-1

Infinique FortesNVR System Series, Full HD 16Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 80Mbps Record Bandwidth, Recording @480fps in Full HD, HD, D1, H.264, 4 Hot Swappable HDD Slots, 32TB, Optional eSATA up to 4 HDDs 32TB, 1U Rack Mountable, Hard Drive not included



### INR25-75F4E-1

Infinique FortesNVR System Series, 25Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 125Mbps Record Bandwidth, Recording @750fps in Full HD, HD, D1, H.264, 4 Hot Swappable HDD Slots, 32TB, Optional eSATA up to 4 HDDs 32TB, 1U Rack Mountable, Hard Drive not included



### INR32-96F4E-1

Infinique FortesNVR System Series, 32Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 160Mbps Record Bandwidth, Recording @960fps in Full HD, HD, D1, H.264, 4 Hot Swappable HDD Slots, 32TB, Optional eSATA up to 4 HDDs 32TB, 1U Rack Mountable, Hard Drive not included



### INR36-108H4E-1

Infinique FortesNVR System Series, 36Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 100Mbps Record Bandwidth, Recording @480fps in Full HD, @1080fps in HD, D1, H.264, 4 Hot Swappable HDD Slots, 32TB, Optional eSATA up to 4 HDDs 32TB, 1U Rack Mountable, Hard Drive not included



### INR64-192D4E-1

Infinique FortesNVR System Series, 64Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 100Mbps Record Bandwidth, Recording @480fps in Full HD, @960fps in HD, @1920fps in D1, H.264, 4 Hot Swappable HDD Slots, 32TB, Optional eSATA up to 4 HDDs 32TB, 1U Rack Mountable, Hard Drive not included



### INR4-12F2I-1

Infinique FortesNVR Econo Series, 4Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 20Mbps Record Bandwidth, Recording @120fps in Full HD, HD, D1, H.264, 2 Internal SATA HDD Slots, 16TB, Optional eSATA up to 4 HDDs 32TB, 1U Standalone, Hard Drive not included



### INR9-27F2I-1

Infinique FortesNVR Econo Series, 9Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 45Mbps Record Bandwidth, Recording @270fps in Full HD, HD, D1, H.264, 2 Internal SATA HDD Slots, 16TB, Optional eSATA up to 4 HDDs 32TB, 1U Standalone, Hard Drive not included



### INR16-48F2I-1

Infinique FortesNVR Econo Series, 16Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 80Mbps Record Bandwidth, Recording @480fps in Full HD, HD, D1, H.264, 2 Internal SATA HDD Slots, 16TB, Optional eSATA up to 4 HDDs 32TB, 1U Standalone, Hard Drive not included



### INR25-75F2I-1

Infinique FortesNVR Econo Series, 25Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 125Mbps Record Bandwidth, Recording @750fps in Full HD, HD, D1, H.264, 2 Internal SATA HDD Slots, 16TB, Optional eSATA up to 4 HDDs 32TB, 1U Standalone, Hard Drive not included



### INR32-96F2I-1

Infinique FortesNVR Econo Series, 32Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 160Mbps Record Bandwidth, Recording @960fps in Full HD, HD, D1, H.264, 2 Internal SATA HDD Slots, 16TB, Optional eSATA up to 4 HDDs 32TB, 1U Standalone, Hard Drive not included



### INR36-108H2I-1

Infinique FortesNVR Econo Series, 36Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 100Mbps Record Bandwidth, Recording @480fps in Full HD, @1080fps in HD D1, H.264, 2 Internal SATA HDD Slots, 16TB, Optional eSATA up to 4 HDDs 32TB, 1U Standalone, Hard Drive not included



### INR64-192D2I-1

Infinique FortesNVR Econo Series, 64Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 100Mbps Record Bandwidth, Recording @480fps in Full HD, @960fps in HD, @1920fps in D1, H.264, 2 Internal SATA HDD Slots, 16TB, Optional eSATA up to 4 HDDs 32TB, 1U Standalone, Hard Drive not included



### INR-4HDE1

E-SATA for up to 4 HDDs (Max. 32TB)

### INR-2ETHPRT

Dual RJ45 Gigabit Ethernet LAN Ports

### INR-HBA-SAN

SAN (HBA- Host Bus Adapter Card)

### ICMS08

FortesMonitor License for 8 NVRs or 128 Cameras, Live Monitor Window of 32x32, 1024 Live Channels on a Single Window, Remote Monitoring of 4000+ Cameras



### ICMS16

FortesMonitor License for 16 NVRs or 256 Cameras, Live Monitor Window of 32x32, 1024 Live Channels on a Single Window, Remote Monitoring of 4000+ Cameras



### ICMS64

FortesMonitor License for 64 NVRs or 1024 Cameras, Live Monitor Window of 32x32, 1024 Live Channels on a Single Window, Remote Monitoring of 4000+ Cameras



### ICMS256

FortesMonitor License for 256 NVRs or 4096 Cameras, Live Monitor Window of 32x32, 1024 Live Channels on a Single Window, Remote Monitoring of 4000+ Cameras



### IS-BACNET-GW1

Infinique nClient BACnet Gateway Server Software for integration of Video Surveillance Systems with BMS BACnet Client



### BACnet Gateway

Infinique nClient BACnet Gateway Server for Integration of Video Management System and Building Management System



## PREMIUM SERIES NVR

### INR4-12F2I-S4P

Infinique Premium Series 4Ch NVR, 500Mbps Network Bandwidth, 50Mbps Record Bandwidth, Recording and Display @120fps in Full HD, HD, D1, H.264, 2 x Internal SATA HDD Slots, Max 12TB, 1U Standalone, 4 PoE Ports, ONVIF Compliant, Hard Drive not included



### INR8-24H2I-S8P

Infinique Premium Series 8Ch NVR, 500Mbps Network Bandwidth, 100Mbps Record Bandwidth, Recording @240fps in Full HD, HD & D1, Display @ 180 fps in Full HD, 240fps in HD & D1, H.264, 2 x Internal SATA HDD Slots, Max 12TB, 1U Standalone, 8 PoE Ports, ONVIF Compliant, Hard Drive not included



### INR16-48D2I-S8P

Infinique Premium Series 16Ch NVR, 500Mbps Network Bandwidth, 200Mbps Record Bandwidth, Recording @480fps in Full HD, HD & D1, Display @ 180 fps in Full HD, 360fps in HD & 480fps in D1, H.264, 2 x Internal SATA HDD Slots, Max 12TB, 1U Standalone, 8 PoE Ports, ONVIF Compliant, Hard Drive not included



### INR32-96H2I-SE1

Infinique Premium Series 32Ch NVR, 320Mbps Record Bandwidth, Real time Live View and Playback of 32Ch in 720p, 20Ch in 1080p, 10Ch in 3MP, 8Ch in 4MP or 4Ch in 4K, Supports H.265, H.264 and MJPEG, 2 x Internal SATA HDD Slots, Max 16TB, 1x ESATA, Standalone Chassis, Hard Drives not included



### INR32-96H8I-SE1

Infinique Premium Series 32Ch NVR, 320Mbps Record Bandwidth, Real time Live View and Playback of 32Ch in 720p, 20Ch in 1080p, 10Ch in 3MP, 8Ch in 4MP or 4Ch in 4K, Supports H.265, H.264 and MJPEG, 8 x Internal SATA HDD Slots, Max 64TB, 1x ESATA, Standalone Chassis, Hard Drives not included



### ICMS-PREMIUM

Infinique Central Monitoring Client System for Premium Series DVRs and NVRs, Hybrid Solution for both Analog and IP Cameras for Remote Configuration, Local and Remote Record Management, E-Map Monitor, Local and Remote Playback



# PRODUCT LINE UP - AHD CCTV

## AHD CAMERAS

### IHV703F-RT

Infinique AHD Fixed IR Vandal Dome Camera, HD1080p, 2MP, 1/3" CMOS Sensor, 3.6mm Lens, TDN, ICR Cut Filter, DWDR, 30m IR Range, IP66, 3 Axis Bracket



### IHV713V-RT

Infinique AHD Varifocal IR Vandal Dome Camera, HD1080p, 2MP, CMOS Sensor, 2.8-12mm Lens, TDN, ICR Cut Filter, DWDR, Built in OSD, 30m IR Range, IP66



### IHB703F-RT

Infinique AHD Fixed IR Bullet Camera, HD1080p, 2MP, 1/3" CMOS Sensor, 3.6mm Lens, TDN, ICR Cut Filter, DWDR, 30m IR Range, IP66



### IHB713V-RT

Infinique AHD Varifocal IR Bullet Camera, HD1080p, 2MP, 1/3 CMOS Sensor, 2.8-12mm Lens, TDN, ICR Cut Filter, DWDR, Built in OSD, 40m IR Range, IP66



### IHX700-WT

Infinique AHD Box Camera, HD1080p, 2MP, 1/3 CMOS Sensor, CS Mount, 120dB WDR, 3D-DNR, True Day and Night with ICR, Built In OSD, Lens Not Included, Bracket not Included



### IHD713V-RWT

Infinique AHD Varifocal IR Vandal WDR Dome Camera, HD1080p, 2MP, 1/3 CMOS Sensor, 2.8-12mm Lens, TDN, ICR Cut Filter, 120dB WDR, Built in OSD, 30m IR Range, IP66



### IHB713V-RWT

Infinique AHD Varifocal IR WDR Bullet Camera, HD1080p, 2MP, 1/3 CMOS Sensor, 2.8-12mm Lens, TDN, ICR Cut Filter, 120dB WDR, Built in OSD, 40m IR Range, IP66



## AHD Digital Video Recorders

### IHR8-12H11-S

Infinique 720p 8 Channel AHD Hybrid DVR, Recording @ 15/20 fps in 720p, 8CH Playback, 1x HDD max. 8TB Capacity, 1 VGA Port, 1 HDMI Port, 1 IR Extender, HDD Not Included



### IHR16-24H11-S

Infinique 720p 16 Channel AHD Hybrid DVR, Recording @ 15fps in 720P, real time in 960H, 16CH playback, 1 X HDD max 8TB, 1 X VGA Port, 1 X HDMI Port, HDD not included



### IHR8-12F11-S

Infinique 1080p 8 Channel AHD Hybrid DVR, Recording @ 15/20 fps in 1080p, Real-Time in 720P & 960H, 8CH playback, 1X HDD max up to 8TB, 1XVGA Port, 1xHDMI Port, 8x Sensors In, 1x Alarm out, HDD not included



### IHR16-12F11-S

Infinique 1080p 16 Channel AHD Hybrid DVR, Recording 15/20 fps in 1080p, Real-Time in 720P & 960H, 16CH playback, 1X HDD max up to 8TB, 1x VGA Port, 1x HDMI Port, 16x Sensors In, 1x Alarm out, HDD not included



## IR ILLUMINATORS

### IOIL-12500

Infinique IR Illuminators, Max Distance 500m (1,640ft), 12 LEDs, IP67, DC12V/36W, RS-485 (Optional)



### IOIL-16300

Infinique IR Illuminator, Max Distance 300m (984ft), 16 LEDs, IP67, DC12V/AC 24V/48W, RS-485 (Optional)



### IOIL-08200

Infinique IR Illuminator, Max Distance 200m (656ft), 8 LEDs, IP67, DC12V/AC 24V/24W, RS-485 (Optional)



### IOIL-04150

Infinique IR Illuminator, Max Distance 150m (492ft), 4 LEDs, IP67, DC12V/AC 24V/12W, RS-485 (Optional)



## BOX CAMERA LENS

### IJLN289MP3

Infinique 3 Megapixel DC Auto Iris, Japanese Lens, 2.8~9mm, CS Mount



### IJLN2812MP3

Infinique 3 Megapixel DC Auto Iris, Japanese Lens, 2.8~12mm, CS Mount



### IJLN750MP3

Infinique 3 Megapixel DC Auto Iris, Japanese Lens, 7~50mm, CS Mount



### IJLN4513MP5

Infinique 5 Megapixel DC Auto Iris, Japanese Lens, 4.5~13mm, CS Mount



### IJLN3080D

Infinique DC Auto Iris, Japanese Lens, 3.3~8mm, F1.4 DC, IR, CS Mount



### IJLN2812D

Infinique DC Auto Iris, Japanese Lens, 2.8~12mm, F1.3 DC, IR, CS Mount



### IJLN5060D

Infinique DC Auto Iris, Japanese Lens, 5.0~60mm, F1.6 DC, IR, CS Mount



## CAMERA BRACKETS

### IBBXWM

Infinique Box Camera Wall or Ceiling Mount Bracket



### IBDCWM

Infinique Indoor Outdoor Wall Mount Bracket, Concealed Cabling for Dome Cameras



### IBMDSWM

Infinique Metal Edge for Mini Weather Proof Dome



### IHOHB232L

Infinique Aluminum Housing, Size: 232 (L) x 100 (W) x 107 (H) mm, 490 grams, Beige Color, includes Bracket



## PTZ CAMERA BRACKETS

### IBOMDSM

Surface Mount Bracket for Outdoor Mini Speed Dome



### IBOMDSS

Sun Shield Bracket for Outdoor Mini Speed Dome



### IBOMDCE

Ceiling Mount Bracket for Outdoor Mini Speed Dome



### IBOMDWM

Wall Mount Bracket for Outdoor Mini Speed Dome



### IBIMDCE

Ceiling Mount Bracket for Indoor Mini Speed Dome



### IBIMDFM

Flush Mount Bracket for Indoor Mini Speed Dome



### IBIMDWM

Wall Mount Bracket for Indoor Mini Speed Dome



### IBSDCE

Ceiling Mount Bracket for Outdoor Speed Dome



### IBSDPM

Pole Mount Bracket for Outdoor Speed Dome



### IBSDWM

Wall Mount Bracket for Outdoor Speed Dome



### IBSDCR

Corner Mount Bracket for Outdoor Speed Dome



### IBSDRM

Roof Mount Bracket for Outdoor Speed Dome



### IBSDPA

Parapet Mount Bracket for Outdoor Speed Dome



### IBSDSN

Swan Neck Mount Bracket for Outdoor Speed Dome



### IBSDSS

Sun Shield Bracket for Outdoor Speed Dome



## POWER ADAPTERS

### IF-12VDC05A

Infinique 12V DC 500mA, Center Positive, 2.1mm Jack, 6 ft, Regulated CCTV Power Adapters



### IF-12VDC15A

Infinique 12V DC 1.5A, Center Positive, 2.1mm Jack, 6 ft, Regulated CCTV Power Adapters



### IF-12VDC5A

Infinique 12V DC 5A, Center Positive, 2.1mm Jack, 6 ft, Regulated CCTV Power Adapters



# Our products are backed by industry leading product warranties and training program

## **Quality**

Infinique's quality management ensures that effective design and processes are in place to verify the product development based on the application and customer needs. The consistency in these processes guarantee the steady improvement of our products through a more efficient planning of product life cycle resulting in very high quality products. Our quality philosophy is reflected in recognized certifications such as EN ISO 9001:2008.

## **Technical Support**

Infinique's provides consulting support in the project design along with estimation and value engineering services to its customers. We regularly provide product orientation and training programs to help customers know our current product lineup and the latest in technologies we can offer. In addition Infinique offers on-site training and commissioning support to ensure smooth commissioning of our products in large installations or projects.

## **Training**

Infinique offers Certification Program to its partners for gaining technical excellence in its products and technologies used.

## **Warranty**

Infinique offers three years warranty for its IP cameras, one year for its analogue cameras and video recorders. For more information about our warranty please contact Infinique or it's channel partners.

## **Return Material Authorization**

In order to achieve swift handling of any returns or repairs, Infinique provides a convenient RMA service. Contact Infinique or download the RMA form from our website to speed up your request.

